

# **Internet Explorer Installation Instructions**

For

**NorthNet**  
Installation Floppies

These instructions will guide you through installing the Internet Explorer World Wide Web browser and email programs on your computer system. The instructions cover the following operating systems:

Windows 3.0  
Windows for Workgroups

Windows 3.1

Windows 3.11

### **Installation Begins as Follows:**

- From **Program Manager**, select **F**ile and then **R**un.
- In the **Run** field, enter **x:\setup** (where **x:** is the **letter of your floppy drive**).

For example, if your floppy drive is the A drive you would enter:

```
a:\setup
```

- Now, click the **OK** button.
- Click **I accept** when asked to confirm the license agreement.
- Click **Ok** to install Internet Explorer and then click **Ok** to accept the directory C:\IEEXPLORE
- Click **Complete** as the type of installation.
- Click **Continue** to accept the Microsoft Internet Explorer program group.
- When prompted, insert the second, third, and fourth disks and then click **Ok** to accept.
- Follow the instructions to install the modem (Internet Explorer should automatically detect the modem and install the appropriate software for the modem).
- Lastly, Click **Yes** when asked to restart Windows and Internet Explorer will restart your computer (be sure to remove the floppy disk from the computer).

NOTE: If you are using a MS-DOS multi-boot configuration, you will need to edit the AUTOEXEC.BAT file. Move the following entries to a location just after the PATH statement at the beginning of the AUTOEXEC.BAT file:

```
SET PATH=%PATH%;C:\WINDOWS\IEEXPLORE
SET ieppp=C:\WINDOWS\IEEXPLORE
SET pctcp=C:\WINDOWS\IEEXPLORE\pctcp.shv
```

### **Configuration:**

- After your computer has restarted, double click on the *Get On The Internet* icon in the Microsoft Internet Explorer program group. This will start the Connection Wizard.
- Click **Next** to continue with the Connection Wizard.
- Select *Manual* as the setup type and then click **Next**.
- Enter **NorthNet** as the name of the *Service Provider* and then click **Next**.
- Enter the dial up number listed on your information sheet, then uncheck the *Use Country and Area/City Code* box. Click **Next** to continue.
- Enter your accountname and password (located on the information sheet) and then click **Next**.
- On the *IP Address* screen *My Internet Service Provider automatically assigns me one* should already be selected. Click **Next** to continue.
- Enter the two DNS numbers listed on the information sheet and then click **Next**.
- *Yes* should already be selected on the *Internet Mail* screen. Click **Next** to continue.
- Enter your username and password for *Internet Mail* (they are the same as entered before). Click **Next** to continue.

- Enter your first and last name in the *Full Name* box. Enter your email address, *accountname@northnet.net*, in the *Email Address* box. Enter *mail.northnet.net* in both the *Incoming Mail* and *Outgoing Mail* server boxes. Click **Next** to continue.
- Yes should already be selected on the *Internet News* screen. Click **Next** to continue.
- Enter your first and last name in the *Full Name* box. Enter your email address, *username@northnet.net*, in the *Email Address* box. Enter your account and password for *Internet News* (they are the same as entered before). Enter *news.northnet.net* in the *News server* box. Click **Next** to continue.
- Click **Finish** to complete the configuration.

### **Using Internet Explorer:**

A new icon called NorthNet should appear inside the Microsoft Internet Explorer program group. Double-clicking on this icon will bring up the *Connect* screen. Click **Connect** to dial and connect to NorthNet. After you've connected, Microsoft Internet Explorer should automatically start.

To access Internet Mail, double-click on the **Internet Mail** icon in the *Microsoft Internet Explorer* program group. After you've entered your username and password, the program will start.

NOTE: You must click *Send and Receive* in order to send messages after composition and to get new messages.

When you'd like to disconnect from NorthNet, exit any Internet programs that are running, and then locate the *Connected to NorthNet* icon (it should be in the lower-left corner of your screen). Double-click on the icon and then click **Disconnect**. This will return you to the *Connect* screen. Click **Close** to exit.

Several custom features are available from the *Connect* screen. Simply click **Properties** when you're at the *Connect* screen to display these features.